

ELECTRONIC CALCULATORS 2014



Printer Series

Scientific Series

Desktop Series

Semi Desktop Series

Pocket Series

Leading Technology for Humanity

At Citizen, our goal is to create a strong and prosperous business; a global business that delivers real value to its customers, employees and stake holders; a technology business that enables people to fulfill their desires and aspirations.

“Leading Technology for Humanity”

— Our corporate slogan expresses the goal of every Citizen Systems employee, each of whom is striving to realize this shared ideal.

By developing tools that make life more convenient, comfortable, and fun, we quickly give form to people’s wishes.

Our superior electronic products, such as calculators, a result of miniaturization, refinement and LCD technologies developed by the watch business, are a customary sight in offices and in daily life.

At home, on the street, in the office...wherever the customers are, Citizen Systems will be there to fulfill their desires.



Printer Series

2

Scientific Series

5

Desktop Series

8

Semi Desktop Series

11

Pocket Series

14

Model Index

16

1

Printer Series

520DPA

Currency conversion.
Mini thermo printer.
Print speed (10 lines/sec.).

W 160.0
D 231.0
H 59.0 mm
474.0 g



LCD Display samples. LCD color changes to either Green or Red

If amount is positive, LCD color is in Green.



If amount is negative, LCD color is in Red.



How it works,

Key entry	Display	Print
1000 +	1000	1000. +
2000 +	3000	2000. +
3000 +	6000	3000. +
10000 -	4000	10000. -
*	4000	4000. -T
TAX +	4200	4000. -
	5. %	5. %
	200. Δ	200. Δ
	4200. -T	4200. -T

Red is amount in Negative
Green is amount in Positive

350DPA

Currency conversion.
Check&correct function for the last 99 entries.
2-color printing.
Print speed (4.3 lines/sec.).

W 225.0
D 332.0
H 75.0 mm
1,194.0 g



CX-121N

Currency conversion.
2-color printing.
Metalic paper roll holder.
Print speed (2.4 lines/sec.).

W 190.0
D 255.0
H 70.0 mm
720.0 g



CX-32N

Currency conversion.
Cost-sell-margin.
2-color printing.
Battery or AC adaptor.
Metalic paper roll holder.
Print speed (2.0 lines/sec.).


W 154.0
D 219.0
H 58.0 mm
409.0 g



CX-77BN

Cost-sell-margin.
1-color printing.
Time-/date-/number-printing.
Battery or AC adaptor.
Metalic paper roll holder.
Print speed (2.0 lines/sec.).


W 102.0
D 200.0
H 45.0 mm
265.0 g



CX-77WN

Currency conversion.
1-color printing.
Time-/date-/number-printing.
Battery or AC adaptor.
Metalic paper roll holder.
Print speed (2.0 lines/sec.).

W 102.0
D 200.0
H 45.0 mm
265.0 g



Printer Series




	MODEL	520DPA	350DPA	CX-121N	CX-32N	CX-77BN	CX-77WN
Display	Digit	12	14	12	12	12	12
	Line	1	1	1	1	1	1
	LCD display	Backlight	●	●	●	●	●
Functions	Digitron display						
	2-color display	●					
	Currency conversion \$·£·€	●	●	●	●		●
	Cost-sell-margin				●	●	
	Check & correct		●				
	Tax	●	●	●	●	●	●
	Mark up	●	●	●		●	●
	Grand total	●	●	●			
	Item count		●				
	Delta %		●	●			
Print	Rounding	●	●	●	●	●	●
	# / Date print					●	●
	Black	Thermo					
	Black / Red		●				
	Blue					●	●
Power	Blue / Red			●	●		
	Paper width in mm	58	58	58	58	58	58
	Print speed lines / sec	10	4.3	2.4	2.0	2.0	2.0
Power	AC adaptor	●	●	●	●	Adaptor opt.	Adaptor opt.
	Battery			●	●	●	●

Scientific Series

SRP-285N

10+2 Digit.
455 Functions.
2-Line dot matrix display.
148 bytes program memory.
170 metric conversions.

W 84.3
D 164.5
H 19.5 mm
133.0 g



SRP-280N

10+2 Digit.
455 Functions.
2-Line dot matrix display.
148 bytes program memory.
170 metric conversions.


W 84.3
D 164.5
H 19.5 mm
133.0 g



SRP-265N

8+2 Digit.
129 Functions.
1-Line display.
40 steps program memory.
26 metric conversions.

W 79.5
D 153.3
H 14.9 mm
120.0 g



SRP-145N SRP-145NGR SRP-145NOR SRP-145NPU

8+2 Digit.
86 Functions.
1-Line display.
40 steps program memory.

W 79.5
D 153.3
H 14.9 mm
120.0 g



SRP-145N

SRP-145NGR
(Green)

SRP-145NOR
(Orange)


SRP-145NPU
(Purple)



SR-281N

12+2 Digit.
526 Functions.
2-Line display.
170 metric conversions.

W 79.5
D 153.3
H 14.9 mm
120.0 g



Scientific Series

SR-270X SR-270XGR SR-270XOR SR-270XPU

10+2 Digit.
251 Functions.
2-Line display.

W 84.3
D 164.5
H 19.5 mm
133.0 g



SR-270XGR (Green)



SR-270XOR (Orange)



SR-270XPU (Purple)



SR-270N SR-270NGR SR-270NOR SR-270NPU

10+2 Digit.
236 Functions.
2-Line display.

W 79.5
D 153.3
H 14.9 mm
120.0 g



SR-270NGR (Green)



SR-270NOR (Orange)




SR-270NPU (Purple)



SR-260N SR-260NGR SR-260NOR SR-260NPU

10+2 Digit.
165 Functions.
1-Line display.
12 metric conversions.


W 79.5
D 153.3
H 14.9 mm
120.0 g



SR-260NGR (Green)



SR-260NOR (Orange)



SR-260NPU (Purple)



SR-135N SR-135NGR SR-135NOR SR-135NPU

8+2 Digit.
128 Functions.
1-Line display.

W 79.5
D 153.3
H 14.9 mm
120.0 g



SR-135NGR (Green)



SR-135NOR (Orange)



SR-135NPU (Purple)



MODEL	SRP-285N	SRP-280N	SRP-265N	SRP-145N	SR-281N	SR-270X	SR-270N	SR-260N	SR-135N
Digits displayed	Dot Matrix +Numeric	Dot Matrix +Numeric	Numeric x 1line	Numeric x 1line	Dot Matrix +Numeric	Dot Matrix	Dot Matrix +Numeric	Numeric x 1line	Numeric x 1line
Calculating digits	up to 24	up to 24	11	11	14	16	up to 24	12	12
Scientific notation	10+2	10+2	8+2	8+2	12+2	10+2	10+2	10+2	8+2
Functions	455	455	129	86	526	251	236	165	128
Program	148 Bytes	148 Bytes	40 Steps	40 Steps					
Parenthese level	13	13	7	7	24	25	15	15	15
Max.number of pending value	21	21	8	8	6	10	21	7	5
Max.number of pending operation	30	30	7	7	6	25	30	6	4
Independent memory (MR)	●	●	●	●	●			●	●
Store and recall	8	8			9	7	9		
Sum to memory (M+)	●	●	●	●	●	●	●	●	●
Complex numbers	●	●			●			●	●
Clear the last digit entered	●	●	●	●	●	●	●	●	●
Complement calculation	●	●			●			●	●
Calculates in DEG,RAD,GRAD	●	●	●	●	●	●	●	●	●
Converts DEG,RAD,GRAD	●	●			●	●	●	●	●
Permutations and combinations	●	●			●	●	●	●	
Scientific constant	20	20	15		136				
Metric conversions	170	170	26		170			12	
RND	●	●				●	●		
Random number <0,1>	●	●			●	●	●	●	●
Int range (Random number) <a,b>	●	●							
Logical calculation	●	●			●				
Calculates in DEC,HEX,OCT,BIN	●	●			●			●	●
Converts DEC,HEX,OCT,BIN	●	●			●			●	●
1-Var statistics	●	●	●	●	●	●	●	●	●
2-Var statistics,Linear regression	●	●			●	●	●		
STAT (WITH EDIT)	●	●			●	●		●	
Capability of production CP	●	●			●			●	
Capability of production CPK	●	●			●			●	
Normal distribution (PQRT)	●	●							
Int/Fraction part					●				
Fraction	●	●	●		●	●	●	●	●
Formula set	●	●	●	●					
REPLAY ↑ ↓ (X → Y)	●	●	●	●	●	●	●	●	●
REPLAY ← →	●	●			●	●	●		
ANSWER FUN.	●	●			●	●	●		
VLE/QE	●	●							
SCI (F-E)	●	●	●	●	●	●	●	●	●
ENG	●	●			●	●	●	●	
Power Main	LR44	LR44	LR44 x 2	LR44 x 2	LR44 x 2	LR44	LR44 x 2	LR44 x 2	LR44 x 2
Power Back up	SC1230 I					SC1230 I			
Color				4		4	4	4	4

Desktop Series

DESKTOP SERIES

SDC-888XBK SDC-888XBL SDC-888XWH SDC-888XRD

Double memory.
Mark up.
Square root.
12 Digit.

W 158.0
D 203.5
H 30.5 mm
228.0 g



SDC-888XBK (Black)



SDC-888XBL
(Blue)



SDC-888XWH
(White)



SDC-888XRD
(Red)



SDC-660 II

Grand total.
Mark up.
16 Digit.

W 156.0
D 159.5
H 31.7 mm
166.0 g



SDC-640 II

Double memory.
Mark up.
14 Digit.

W 156.0
D 159.5
H 31.7 mm
166.0 g



SDC-664S

Currency conversion.
Mark up.
Square root.
16 Digit.

W 153.0
D 199.0
H 31.2 mm
210.0 g



SDC-554S

Mark up.
Square root.
14 Digit.

W 153.0
D 199.0
H 31.2 mm
210.0 g



SDC-620 II

Grand total.
Mark up.
Square root.
12 Digit.

W 156.0
D 159.5
H 31.7 mm
166.0 g



SDC-740N

Double memory.
Mark up.
Square root.
14 Digit.

W 180.0
D 203.5
H 31.0 mm
231.0 g



SDC-444S

Double memory.
Mark up.
Square root.
12 Digit.

W 153.0
D 199.0
H 31.2 mm
210.0 g



SDC-435N

Mark up.
16 Digit.

W 180.0
D 203.5
H 31.0 mm
234.0 g



SDC-760N

Mark up.
Square root.
16 Digit.

W 180.0
D 203.5
H 31.0 mm
231.0 g



SDC-8780L II

Double memory.
Mark up.
Tilt display.
12 Digit.

W 140.0
D 188.0
H 15.0 mm
225.0 g



SDC-414N

Double memory.
Mark up.
14 Digit.

W 180.0
D 203.5
H 31.0 mm
234.0 g



SDC-395N

Grand total.
Mark up.
Square root.
16 Digit.

W 143.0
D 191.6
H 38.8 mm
196.0 g



SDC-368

Double memory.
Mark up.
Square root.
Tilt display.
12 Digit.

W 152.0
D 152.0
H 28.0 mm
168.0 g



SDC-868L

Double memory.
Mark up.
12 Digit.

W 148.0
D 154.0
H 28.6 mm
166.0 g



DESKTOP SERIES

Desktop Series CHECK & CORRECT MODEL

CT-600J

Check & correct.
Double memory.
Square root.
12 Digit.

W 144.9
D 188.8
H 34.7 mm
207.0 g



CT-666N

Check & correct.
Cost-sell-margin.
Square root.
12 Digit.

W 142.0
D 187.8
H 37.4 mm
195.0 g



CT-770 II

Check & correct.
3-line display.
Insertion key.
Mark up.
Square root.
12 Digit.

W 146.0
D 200.0
H 39.5 mm
238.0 g



CT-780

Check & correct.
Grand total.
Mark up.
Square root.
14 Digit.

W 158.7
D 208.7
H 33.9 mm
258.0 g



Semi Desktop Series

SDC-3910

Currency & conversion.
Mark up.
Square root.
10 Digit.

W 108.5
D 136.2
H 24.8 mm
103.5 g



SDC-3920

Double tax.
Mark up.
10 Digit.

W 108.5
D 136.2
H 24.8 mm
103.5 g



SDC-011S

Square root.
8 Digit.

W 87.0
D 120.0
H 23.0 mm
68.0 g



SDC-022S

Square root.
10 Digit.

W 87.0
D 120.0
H 23.0 mm
70.0 g



SDC-805BN

Square root.
8 Digit.

W 102.0
D 124.8
H 22.5 mm
82.0 g



SDC-810BN

10 Digit.

W 102.0
D 124.8
H 22.5 mm
94.0 g



SDC-812BN

12 Digit.

W 102.0
D 124.8
H 22.5 mm
94.0 g



Semi Desktop Series

FC-500BL
FC-600GR
FC-700PK
FC-800PU

Grand total.
 Square root.
 12 Digit.

W 142.0
 D 107.0
 H 39.0 mm
 120.0 g



FC-500BL(Blue)



FC-600GR
 (Green)



FC-700PK
 (Pink)



FC-800PU
 (Purple)



SDC-9010N

Mark up.
 10 Digit.

W 103.0
 D 138.0
 H 32.0 mm
 114.0 g



SDC-9012N

Mark up.
 12 Digit.

W 103.0
 D 138.0
 H 32.0 mm
 114.0 g




Semi Desktop Series CHECK & CORRECT MODEL

CT-500JS

200 steps.
 Check & correct.
 Mark up.
 Square root.
 12 Digit.

W 134.0
 D 135.5
 H 28.0 mm
 129.0 g



200 STEPS

CT-500V II

Check & correct.
 Mark up.
 Square root.
 10 Digit.

W 133.9
 D 135.6
 H 27.9 mm
 140.0 g



CT-555N

Check & correct.
 Mark up.
 Square root.
 12 Digit.

W 130.0
 D 128.5
 H 34.0 mm
 125.0 g



CT-555W

Check & correct.
 Mark up.
 Square root.
 12 Digit.

W 130.0
 D 128.5
 H 34.0 mm
 125.0 g



Desktop

	MODEL	SDC-888X	SDC-664S	SDC-554S	SDC-444S	SDC-435N	SDC-414N	SDC-395N	SDC-660II	SDC-640II	SDC-620II	SDC-740N	SDC-760N	SDC-8780LII	SDC-368	SDC-868L	CT-600J	
Display	Digit	12	16	14	12	16	14	16	16	14	12	14	16	12	12	12	12	
	Line	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Functions	Check & Correct																●	
	Currency conversion		●															
	Tax			●		●		●	●		●		●					
	Grand total							●	●		●							
	Cost-sell-margin																	
	Mark up	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rounding																	●
	Double memory	●			●		●				●		●		●	●	●	●
	Square root	●	●	●	●			●		●	●	●	●	●		●	●	●
	Tilt display														●	●	●	
Power	Battery	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Solar	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



Semi Desktop

	MODEL	CT-666N	CT-770 II	CT-780	SDC-3910	SDC-3920	SDC-011S	SDC-022S	SDC-805BN	SDC-810BN	SDC-812BN	FC-500NBL 600NBR 700NPK 800NPU	SDC-9010N	SDC-9012N	CT-500JS	CT-500V II	CT-555N 555W	
Display	Digit	12	12	14	10	10	8	10	8	10	12	12	10	12	12	10	12	
	Line	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Functions	Check & Correct	●	●	●											●	●	●	
	Currency conversion				●													
	Tax	●		●		●							●	●	●		●	
	Grand total	●	●	●									●					
	Cost-sell-margin	●																
	Mark up	●	●	●	●	●									●	●	●	
	Rounding	●	●	●											●	●		
	Double memory																	
	Square root	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●
	Tilt display																	
Power	Battery	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Solar	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pocket Series

POCKET SERIES

POCKET SERIES

CT-300J

Check & correct.
Square root.
10 Digit.

W 72.0
D 120.0
H 9.0 mm
51.0 g



SLD-377

Currency conversion.
10 Digit.

W 63.7
D 104.7
H 10.3 mm
40.0 g



SLD-5600II

Square root.
12 Digit.

W 100.0
D 67.3
H 9.4 mm
60.0 g



SLD-1010II

Square root.
10 Digit.

W 69.0
D 115.1
H 10.0 mm
46.0 g



SLD-1012II

Square root.
12 Digit.

W 69.0
D 115.1
H 10.0 mm
46.0 g



SLD-200N

Square root.
8 Digit.

W 60.0
D 97.5
H 10.3 mm
32.0 g



SLD-7008II

Square root.
8 Digit.

W 101.5
D 60.8
H 6.5 mm
48.0 g



SLD-7010II

Square root.
10 Digit.

W 101.5
D 60.8
H 6.5 mm
48.0 g



SLD-7012II

Square root.
12 Digit.

W 101.5
D 60.8
H 6.5 mm
48.0 g



LC-110N

Square root.
8 Digit.

W 59.0
D 88.9
H 10.8 mm
30.0 g



LC-210N

Square root.
8 Digit.

W 60.0
D 97.5
H 10.3 mm
34.0 g



LC-310N

AA Battery
Square root.
8 Digit.

W 69.0
D 113.9
H 19.3 mm
63.0 g



SLD-322BK

Square root.
8 Digit.

W 63.7
D 104.7
H 10.3 mm
40.0 g



SLD-322RG

Square root.
10 Digit.

W 63.7
D 104.7
H 10.3 mm
40.0 g



SLD-366

Currency conversion.
10 Digit.

W 64.0
D 104.0
H 10.2 mm
48.0 g



SLD-7708

Square root.
Metal on top.
8 Digit.

W 68.0
D 112.0
H 6.6 mm
40.0 g



FS-60BK II

Square root.
8 Digit.

W 96.5
D 69.5
H 11.4 mm
44.0 g



SLD-100N

Square root.
8 Digit.

W 60.0
D 89.5
H 10.3 mm
32.0 g



MODEL	CT-300J	SLD-377	SLD-5600II	SLD-7008II	SLD-7010II	SLD-7012II	SLD-322BK	SLD-322RG	SLD-366
Digit	10	10	12	8	10	12	8	10	10
Currency conversion		●							●
Square root	●		●	●	●	●	●	●	
Hard case									●
Power	Battery	●	●	●	●	●	●	●	●
	Solar	●	●	●	●	●	●	●	●



MODEL	SLD-7708	FS-60BKII	SLD-100N	SLD-1010II	SLD-1012II	SLD-200N	LC-110N	LC-210N	LC-310N
Digit	8	8	8	10	12	8	8	8	8
Currency conversion									
Square root	●	●	●	●	●	●	●	●	●
Hard case		●							
Power	Battery	●	●	●	●	●	●	●	●
	Solar	●	●	●	●	●			

