

CITIZEN

TOMORROW'S PRINTING TODAY



Photo Printer Product Guide



Citizen photo printers are everywhere around you

Ultra-compact size
Lightweight
New anti-curl function

CZ-01



Sticker media
Compact size
Energy saving

CX-02




Photo Kiosks

Printing photos from smartphones
and digital cameras



ID Photos

ID photos for passports, resumes, etc.



Event Photos

Commemorative photos at tourist attractions
and theme parks.



Studio Photos

Memorial photos for weddings, birthdays, etc.



Digital photo printers with High Quality High Speed Printing, High Reliability

Citizen Systems photo printer features:





Photo Kiosks

Printing photos from smartphones and digital cameras

1



CW-02

Quality printing
High speed
High capacity

- Print time: L / Approx. 8.0 sec, PC / Approx. 8.6 sec
2L / Approx. 13.6 sec, 2PC / Approx. 15.3 sec
A5W / Approx. 17.0 sec
- External dimensions: 310 (W) × 363 (D) × 296 (H) mm
- Weight: Approx. 13.8 kg

2



CX-02

Compact size
Energy saving
Ribbon rewind function

- Print time: L: 2-sheet layout / Approx. 7.6 sec
PC: 2-sheet layout / Approx. 8.4 sec
2L / Approx. 14.2 sec
2PC / Approx. 15.6 sec
- External dimensions: 275 (W) × 366 (D) × 170 (H) mm
- Weight: Approx. 12.0 kg


5



CY

Entry class
Cost-effective
High capacity

- Print time: PC / Approx. 12.4 sec
2L / Approx. 19.9 sec
2PC / Approx. 21.9 sec
- External dimensions: 322 (W) × 351 (D) × 281 (H) mm
- Weight: Approx. 13.8 kg





ID Photos

ID photos for passports, resumes, etc.

NEW

2



CX-02

Compact size
Energy saving
Ribbon rewind function

- Print time: L: 2-sheet layout / Approx. 7.6 sec
 PC: 2-sheet layout / Approx. 8.4 sec
 2L / Approx. 14.2 sec
 2PC / Approx. 15.6 sec
- External dimensions: 275 (W) x 366 (D) x 170 (H) mm
- Weight: Approx. 12.0 kg

5



CY

Entry class
Cost-effective
High capacity

- Print time: PC / Approx. 12.4 sec
 2L / Approx. 19.9 sec
 2PC / Approx. 21.9 sec
- External dimensions: 322 (W) x 351 (D) x 281 (H) mm
- Weight: Approx. 13.8 kg

6



CZ-01

Ultra-compact size
Lightweight
New anti-curl function

- Print time: PC / Approx. 18.8 sec
 4.5" x 8" / Approx. 23.1 sec
- External dimensions: 208 (W) x 240 (D) x 198 (H) mm
- Weight: Approx. 5.8 kg





Event Photos

Commemorative photos at tourist attractions and theme parks.

NEW

3



CX-02 (S)
Sticker media
Compact size
Energy saving

- Print time: PC: 2-sheet layout / Approx. 11.3 sec
 2PC / Approx. 21.3 sec
- External dimensions: 275 (W) x 366 (D) x 170 (H) mm
- Weight: Approx. 12.0 kg

4



CX-02W
A4 printing
Compact size
Energy saving

- Print time: 8" x 12" / Approx. 39.2 sec
 A4 size / Approx. 38.4 sec
- External dimensions: 322 (W) x 366 (D) x 170 (H) mm
- Weight: Approx. 14.0 kg

6



CZ-01
Ultra-compact size
Lightweight
New anti-curl function

- Print time: PC / Approx. 18.8 sec
 4.5" x 8" / Approx. 23.1 sec
- External dimensions: 208 (W) x 240 (D) x 198 (H) mm
- Weight: Approx. 5.8 kg





Studio Photos

Memorial photos for weddings, birthdays, etc.

1



CW-02

Quality printing
High speed
High capacity

- Print time: L / Approx. 8.0 sec, PC / Approx. 8.6 sec
2L / Approx. 13.6 sec, 2PC / Approx. 15.3 sec
A5W / Approx. 17.0 sec
- External dimensions: 310 (W) × 363 (D) × 296 (H) mm
- Weight: Approx. 13.8 kg

2



CX-02

Compact size
Energy saving
Ribbon rewind function

- Print time: L: 2-sheet layout / Approx. 7.6 sec
PC: 2-sheet layout / Approx. 8.4 sec
2L / Approx. 14.2 sec
2PC / Approx. 15.6 sec
- External dimensions: 275 (W) × 366 (D) × 170 (H) mm
- Weight: Approx. 12.0 kg

4



CX-02W

A4 printing
Compact size
Energy saving

- Print time: 8" × 12" / Approx. 39.2 sec
A4 size / Approx. 38.4 sec
- External dimensions: 322 (W) × 366 (D) × 170 (H) mm
- Weight: Approx. 14.0 kg





Model number	CW-02		CX-02		CX-02 (S)		CX-02W		CY		CZ-01	
Features	Quality printing High speed High capacity		Compact size Energy saving Ribbon rewind function		Sticker media Compact size Energy saving		A4 printing Compact size Energy saving		Entry class Cost-effective High capacity		Ultra-compact size Lightweight New anti-curl function	
Printing Technology	Dye-sublimation thermal transfer with overcoat											
Resolution	High speed mode 300 x 300 dpi											
	High-quality image mode 300 x 600 dpi											
Print size	L	89 x 127 mm (3.5" x 5")	L	89 x 127 mm (3.5" x 5")	PC	101 x 152 mm (4" x 6")	8" x 4"	203 x 102 mm	PC	101 x 152 mm (4" x 6")	PC	101 x 152 mm (4" x 6")
	PC	101 x 152 mm (4" x 6")	PC	101 x 152 mm (4" x 6")			8" x 5"	203 x 127 mm				
	2L	127 x 178 mm (5" x 7")	5" x 5"	127 x 127 mm (5" x 5")	6" x 6"	152 x 152 mm (6" x 6")	2PC	152 x 203 mm (6" x 6")	2L	127 x 178 mm (5" x 7")	4.5" x 4.5"	114 x 114 mm
	2PC	152 x 203 mm (6" x 8")	2L	127 x 178 mm (5" x 7")			8" x 8"	203 x 203 mm				
	A5W	152 x 229 mm (6" x 9")	6" x 6"	152 x 152 mm (6" x 6")	2PC	152 x 203 mm (6" x 8")	8" x 10"	203 x 254 mm	2PC	152 x 203 mm (6" x 8")	4.5" x 8"	114 x 203 mm
			2PC	152 x 203 mm (6" x 8")			8" x 12"	203 x 305 mm				
Print capacity (Maximum)	L	660 sheets	L	460 sheets	PC	400 sheets	8" x 12"	110 sheets	PC	700 sheets	PC	150 sheets
	PC	600 sheets	PC	400 sheets					2L	350 sheets		
	2L	350 sheets	2L	230 sheets	2PC	200 sheets	A4 size	110 sheets	2PC	350 sheets	4.5" x 8"	110 sheets
	2PC	300 sheets										
	A5W	280 sheets	2PC	200 sheets								
Print speed (Maximum)	L	Approx. 8.0 sec	L: 2-sheet layout	Approx. 7.6 sec	PC: 2-sheet layout	Approx. 11.3 sec	8" x 12"	Approx. 39.2 sec	PC	Approx. 12.4 sec	PC	Approx. 18.8 sec
	PC	Approx. 8.6 sec	PC: 2-sheet layout	Approx. 8.4 sec					2L	Approx. 19.9 sec		
	2L	Approx. 13.6 sec	2L	Approx. 14.2 sec	2PC	Approx. 21.3 sec	A4 size	Approx. 38.4 sec	2PC	Approx. 21.9 sec	4.5" x 8"	Approx. 23.1 sec
	2PC	Approx. 15.3 sec										
	A5W	Approx. 17.0 sec	2PC	Approx. 15.6 sec								
Finishing options	Glossy / Matte				Glossy			Glossy / Matte				Glossy / Matte / Partial matte
Ribbon format	YMC + overcoat											
Interface	USB 2.0 (Max. 480 Mbps), TYPE B connector											
Operating systems compatible with drivers	Windows XP / Vista / 7 / 8 / 10										Windows 7 / 10	
Dimensions (W x D x H)	310 x 363 x 296 mm		275 x 366 x 170 mm				322 x 366 x 170 mm		322 x 351 x 281 mm		208 x 240 x 198 mm	
Weight	Approx. 13.8 kg		Approx. 12.0 kg				Approx. 14.0 kg		Approx. 13.8 kg		Approx. 5.8 kg	
Power supply	100 to 240 V AC 50/60 Hz											
Operating environment	Temperature: 5 to 35°C with natural convection/Humidity level: 35 to 80% without condensation								Temperature: 5 to 35°C with natural convection		Temperature: 5 to 35°C with natural convection/Humidity level: 35 to 80% without condensation	
Power consumption	Max. 100 V, approx. 3.9 A/240 V, approx. 1.6 A Standby 100 V, approx. 0.5 W or less/240 V, approx. 0.5 W or less								Max. 100 V, approx. 2.9 A/240 V, approx. 1.2 A Standby 100 V, approx. 0.14 A or less/240 V, approx. 0.11 A or less		Max. 100 V, approx. 1.7 A/240 V, approx. 0.8 A Standby 100 V, approx. 0.15 A/240 V, approx. 0.15 A	
Suitable application	Photo Kiosks		Photo Kiosks		Event Photos			Event Photos		Photo Kiosks		ID Photos
	Studio Photos		ID Photos					Studio Photos		ID Photos		Event Photos

* Specific conditions and restrictions may apply to some printers. Refer to the information supplied with each model.

● The specifications, structure, design and other features are subject to change without prior notice. ● Contact us or your retailer for more information on the models in this pamphlet. ● Images of products in the pamphlet are not to scale and composite images may have been used. ● CITIZEN is a registered trademark of CITIZEN WATCH CO., LTD. ● Windows is a registered trademark of Microsoft Corporation in the United States and other countries. ● iOS is a trademark or registered trademark of Cisco in the United States and other countries. ● The iPod, iPhone, iPad and MFi authentication logos are registered trademarks of Apple Inc. in the United States and other countries. ● Android and the Android Robot symbols are trademarks of Google Inc. ● Bluetooth is a registered trademark of Bluetooth SIG, Inc. and CITIZEN SYSTEMS JAPAN CO., LTD. uses this technology under a license agreement. ● The QR code is a registered trademark of DENSO WAVE Incorporated. ● Other names of products and services are the trademarks or registered trademarks of their respective companies.

CITIZEN SYSTEMS JAPAN CO., LTD.

6-1-12, Tanashi-cho, Nishi-Tokyo-shi Tokyo 188-8511, Japan
<https://www.citizen-systems.co.jp/en>

CITIZEN SYSTEMS (H.K) LTD.

4/F, 64 Hung To Road, Kwun Tong, Kowloon, Hong Kong
<http://www.citizen-systems.com.cn>

◆ Purchase our printers for a trusted and satisfying service